

SSH Secure Shell 3.2.9 (Build 283)

Copyright (c) 2000-2003 SSH Communications Security Corp - <http://www.ssh.com/>

This copy of SSH Secure Shell is a non-commercial version.
This version does not include PKI and PKCS #11 functionality.

Last login: Mon May 23 07:18:57 2005 from mail.esul3.org

[root@moodle root]# clear

[root@moodle root]# top

10:53am up 7 days, 3:20, 1 user, load average: 0.00, 0.00, 0.00

50 processes: 48 sleeping, 2 running, 0 zombie, 0 stopped

CPU states: 0.1% user, 0.5% system, 0.0% nice, 99.2% idle

Mem: 255908K av, 247840K used, 8068K free, 0K shrd, 38760K buff

Swap: 441748K av, 0K used, 441748K free 121176K cached

PID	USER	PRI	NI	SIZE	RSS	SHARE	STAT	%CPU	%MEM	TIME	COMMAND
28824	root	15	0	1028	1028	836	R	0.5	0.4	0:00	top
28781	root	15	0	1880	1880	1596	R	0.1	0.7	0:00	sshd
1	root	15	0	476	476	420	S	0.0	0.1	0:03	init
2	root	15	0	0	0	0	SW	0.0	0.0	0:00	keventd
3	root	34	19	0	0	0	SWN	0.0	0.0	0:00	ksoftirqd_CPU0
4	root	15	0	0	0	0	SW	0.0	0.0	0:02	kswapd
5	root	25	0	0	0	0	SW	0.0	0.0	0:00	bdflush
6	root	15	0	0	0	0	SW	0.0	0.0	0:00	kupdated
7	root	25	0	0	0	0	SW	0.0	0.0	0:00	mdrecoveryd
13	root	25	0	0	0	0	SW	0.0	0.0	0:00	scsi_eh_0
14	root	25	0	0	0	0	SW	0.0	0.0	0:00	scsi_eh_1
17	root	15	0	0	0	0	SW	0.0	0.0	0:01	kjournald
141	root	15	0	0	0	0	SW	0.0	0.0	0:00	kjournald
142	root	15	0	0	0	0	SW	0.0	0.0	0:00	kjournald
143	root	15	0	0	0	0	SW	0.0	0.0	0:00	kjournald
144	root	15	0	0	0	0	SW	0.0	0.0	0:01	kjournald
559	root	15	0	588	588	500	S	0.0	0.2	0:01	syslogd
564	root	15	0	444	444	384	S	0.0	0.1	0:00	klogd
585	rpc	15	0	544	544	464	S	0.0	0.2	0:00	portmap
614	rpcuser	17	0	720	720	624	S	0.0	0.2	0:00	rpc.statd
776	root	15	0	1232	1232	1108	S	0.0	0.4	0:03	sshd
810	root	17	0	912	912	724	S	0.0	0.3	0:00	xinetd
854	root	15	0	1816	1816	1300	S	0.0	0.7	0:00	sendmail
873	root	15	0	452	452	396	S	0.0	0.1	0:00	gpm
891	root	15	0	616	616	540	S	0.0	0.2	0:00	crond
977	xfs	15	0	3372	3372	876	S	0.0	1.3	0:00	xfs
1013	daemon	15	0	524	524	460	S	0.0	0.2	0:00	atd
1023	root	15	0	400	400	344	S	0.0	0.1	0:00	mingetty
1024	root	15	0	400	400	344	S	0.0	0.1	0:00	mingetty
1025	root	15	0	400	400	344	S	0.0	0.1	0:00	mingetty
1026	root	16	0	400	400	344	S	0.0	0.1	0:00	mingetty
1027	root	16	0	400	400	344	S	0.0	0.1	0:00	mingetty
12212	named	16	0	2388	2388	1832	S	0.0	0.9	0:00	named
12214	named	15	0	2388	2388	1832	S	0.0	0.9	0:00	named
12215	named	15	0	2388	2388	1832	S	0.0	0.9	0:00	named

```

12216 named      15  0 2388 2388 1832 S    0.0 0.9  0:00 named
12217 named      15  0 2388 2388 1832 S    0.0 0.9  0:00 named
18639 root       16  0 400 400 344 S    0.0 0.1  0:00 mingetty
18912 root       19  0 1056 1056 884 S    0.0 0.4  0:00 mysqld_safe
[root@moodle root]# /etc/rc.d/init.d/mysqld
bash: /etc/rc.d/init.d/mysqld: No such file or directory
[root@moodle root]# /etc/rc.d/init.d/mysqld status
bash: /etc/rc.d/init.d/mysqld: No such file or directory
[root@moodle root]# /etc/init.d/mysqld status
bash: /etc/init.d/mysqld: No such file or directory
[root@moodle root]# status
bash: status: command not found
[root@moodle root]# man status
No manual entry for status
[root@moodle root]# top
 11:14am up 7 days,  3:42,  1 user,  load average: 0.00, 0.00, 0.00
50 processes: 48 sleeping, 2 running, 0 zombie, 0 stopped
CPU states:  0.3% user,  0.5% system,  0.0% nice, 99.0% idle
Mem:   255908K av, 247700K used,   8208K free,      0K shrd,   38868K buff
Swap:  441748K av,      0K used,  441748K free      120916K cached

```

PID	USER	PRI	NI	SIZE	RSS	SHARE	STAT	%CPU	%MEM	TIME	COMMAND
28846	root	15	0	1028	1028	836	R	0.5	0.4	0:00	top
28781	root	15	0	1880	1880	1596	R	0.3	0.7	0:00	sshd
1	root	15	0	476	476	420	S	0.0	0.1	0:03	init
2	root	15	0	0	0	0	SW	0.0	0.0	0:00	keventd
3	root	34	19	0	0	0	SWN	0.0	0.0	0:00	ksoftirqd_CPU0
4	root	15	0	0	0	0	SW	0.0	0.0	0:02	kswapd
5	root	25	0	0	0	0	SW	0.0	0.0	0:00	bdflush
6	root	15	0	0	0	0	SW	0.0	0.0	0:00	kupdated
7	root	25	0	0	0	0	SW	0.0	0.0	0:00	mdrecoveryd
13	root	25	0	0	0	0	SW	0.0	0.0	0:00	scsi_eh_0
14	root	25	0	0	0	0	SW	0.0	0.0	0:00	scsi_eh_1
17	root	15	0	0	0	0	SW	0.0	0.0	0:01	kjournald
141	root	15	0	0	0	0	SW	0.0	0.0	0:00	kjournald
142	root	15	0	0	0	0	SW	0.0	0.0	0:00	kjournald
143	root	15	0	0	0	0	SW	0.0	0.0	0:00	kjournald
144	root	15	0	0	0	0	SW	0.0	0.0	0:01	kjournald
559	root	15	0	588	588	500	S	0.0	0.2	0:01	syslogd
564	root	15	0	444	444	384	S	0.0	0.1	0:00	klogd
585	rpc	15	0	544	544	464	S	0.0	0.2	0:00	portmap
614	rpcuser	17	0	720	720	624	S	0.0	0.2	0:00	rpc.statd
776	root	15	0	1232	1232	1108	S	0.0	0.4	0:03	sshd
810	root	17	0	912	912	724	S	0.0	0.3	0:00	xinetd
854	root	15	0	1816	1816	1300	S	0.0	0.7	0:00	sendmail
873	root	15	0	452	452	396	S	0.0	0.1	0:00	gpm
891	root	15	0	616	616	540	S	0.0	0.2	0:00	crond
977	xfs	15	0	3372	3372	876	S	0.0	1.3	0:00	xfs
1013	daemon	15	0	524	524	460	S	0.0	0.2	0:00	atd
1023	root	15	0	400	400	344	S	0.0	0.1	0:00	mingetty
1024	root	15	0	400	400	344	S	0.0	0.1	0:00	mingetty
1025	root	15	0	400	400	344	S	0.0	0.1	0:00	mingetty
1026	root	16	0	400	400	344	S	0.0	0.1	0:00	mingetty
1027	root	16	0	400	400	344	S	0.0	0.1	0:00	mingetty
12212	named	16	0	2388	2388	1832	S	0.0	0.9	0:00	named
12214	named	15	0	2388	2388	1832	S	0.0	0.9	0:00	named
12215	named	15	0	2388	2388	1832	S	0.0	0.9	0:00	named
12216	named	15	0	2388	2388	1832	S	0.0	0.9	0:00	named
12217	named	15	0	2388	2388	1832	S	0.0	0.9	0:00	named
18639	root	16	0	400	400	344	S	0.0	0.1	0:00	mingetty
18912	root	19	0	1056	1056	884	S	0.0	0.4	0:00	mysqld_safe
18937	mysql	21	0	11604	11M	1664	S	0.0	4.5	0:00	mysqld
18939	mysql	15	0	11604	11M	1664	S	0.0	4.5	0:00	mysqld

```

[root@moodle root]# /etc/init.d/mysqld start
bash: /etc/init.d/mysqld: No such file or directory
[root@moodle root]# /etc/init.d/mysql start
Starting MySQL SUCCESS!
[root@moodle root]# top
 11:15am up 7 days,  3:43,  1 user,  load average: 0.04, 0.01, 0.00
50 processes: 49 sleeping, 1 running, 0 zombie, 0 stopped
CPU states:  0.5% user,  0.1% system,  0.0% nice, 99.2% idle
Mem:   255908K av, 248144K used,   7764K free,      0K shrd,   38920K buff
Swap:  441748K av,      0K used,  441748K free      121304K cached

```

PID	USER	PRI	NI	SIZE	RSS	SHARE	STAT	%CPU	%MEM	TIME	COMMAND
28884	root	16	0	1028	1028	836	R	0.7	0.4	0:00	top
1	root	15	0	476	476	420	S	0.0	0.1	0:03	init
2	root	15	0	0	0	0	SW	0.0	0.0	0:00	keventd
3	root	34	19	0	0	0	SWN	0.0	0.0	0:00	ksoftirqd_CPU0
4	root	15	0	0	0	0	SW	0.0	0.0	0:02	kswapd
5	root	25	0	0	0	0	SW	0.0	0.0	0:00	bdflush
6	root	15	0	0	0	0	SW	0.0	0.0	0:00	kupdated
7	root	25	0	0	0	0	SW	0.0	0.0	0:00	mdrecoveryd
13	root	25	0	0	0	0	SW	0.0	0.0	0:00	scsi_eh_0
14	root	25	0	0	0	0	SW	0.0	0.0	0:00	scsi_eh_1
17	root	15	0	0	0	0	SW	0.0	0.0	0:01	kjournald
141	root	15	0	0	0	0	SW	0.0	0.0	0:00	kjournald
142	root	15	0	0	0	0	SW	0.0	0.0	0:00	kjournald
143	root	15	0	0	0	0	SW	0.0	0.0	0:00	kjournald
144	root	15	0	0	0	0	SW	0.0	0.0	0:01	kjournald
559	root	15	0	588	588	500	S	0.0	0.2	0:01	syslogd
564	root	15	0	444	444	384	S	0.0	0.1	0:00	klogd
585	rpc	15	0	544	544	464	S	0.0	0.2	0:00	portmap
614	rpcuser	17	0	720	720	624	S	0.0	0.2	0:00	rpc.statd
776	root	15	0	1232	1232	1108	S	0.0	0.4	0:03	sshd
810	root	17	0	912	912	724	S	0.0	0.3	0:00	xinetd
854	root	15	0	1816	1816	1300	S	0.0	0.7	0:00	sendmail
873	root	15	0	452	452	396	S	0.0	0.1	0:00	gpm
891	root	15	0	616	616	540	S	0.0	0.2	0:00	cron
977	xfs	15	0	3372	3372	876	S	0.0	1.3	0:00	xfs
1013	daemon	15	0	524	524	460	S	0.0	0.2	0:00	atd
1023	root	15	0	400	400	344	S	0.0	0.1	0:00	mingetty
1024	root	15	0	400	400	344	S	0.0	0.1	0:00	mingetty
1025	root	15	0	400	400	344	S	0.0	0.1	0:00	mingetty
1026	root	16	0	400	400	344	S	0.0	0.1	0:00	mingetty
1027	root	16	0	400	400	344	S	0.0	0.1	0:00	mingetty
12212	named	16	0	2388	2388	1832	S	0.0	0.9	0:00	named
12214	named	15	0	2388	2388	1832	S	0.0	0.9	0:00	named
12215	named	15	0	2388	2388	1832	S	0.0	0.9	0:00	named
12216	named	15	0	2388	2388	1832	S	0.0	0.9	0:00	named
12217	named	15	0	2388	2388	1832	S	0.0	0.9	0:00	named
18639	root	16	0	400	400	344	S	0.0	0.1	0:00	mingetty
18912	root	19	0	1056	1056	884	S	0.0	0.4	0:00	mysqld_safe
18937	mysql	21	0	11604	11M	1664	S	0.0	4.5	0:00	mysqld
18939	mysql	15	0	11604	11M	1664	S	0.0	4.5	0:00	mysqld
18940	mysql	20	0	11604	11M	1664	S	0.0	4.5	0:00	mysqld