

```
2018-03-12 20:21:56      Connection: opening to smtp.office365.com:25, timeout=300, options=array (
                          )
2018-03-12 20:21:56      Connection: opened
2018-03-12 20:21:56      SMTP -> get_lines(): $data is ""
2018-03-12 20:21:56      SMTP -> get_lines(): $str is "220 MRXP264CA0037.outlook.office365.com Microso
ft ESMTP MAIL Service ready at Mon, 12 Mar 2018 20:21:54 +0000
                          "
2018-03-12 20:21:56      SERVER -> CLIENT: 220 MRXP264CA0037.outlook.office365.com Microsoft ESMTP MAIL
Service ready at Mon, 12 Mar 2018 20:21:54 +0000
2018-03-12 20:21:56      CLIENT -> SERVER: EHLO campus.carac.es
2018-03-12 20:21:56      SMTP -> get_lines(): $data is ""
2018-03-12 20:21:56      SMTP -> get_lines(): $str is "250-MRXP264CA0037.outlook.office365.com Hello
[85.152.55.132]
                          "
2018-03-12 20:21:56      SMTP -> get_lines(): $data is "250-MRXP264CA0037.outlook.office365.com Hello
[85.152.55.132]
                          "
2018-03-12 20:21:56      SMTP -> get_lines(): $str is "250-SIZE 157286400
                          "
2018-03-12 20:21:56      SMTP -> get_lines(): $data is "250-MRXP264CA0037.outlook.office365.com Hello
[85.152.55.132]
                          250-SIZE 157286400
                          "
2018-03-12 20:21:56      SMTP -> get_lines(): $str is "250-PIPELINING
                          "
2018-03-12 20:21:56      SMTP -> get_lines(): $data is "250-MRXP264CA0037.outlook.office365.com Hello
[85.152.55.132]
                          250-SIZE 157286400
                          250-PIPELINING
                          "
2018-03-12 20:21:56      SMTP -> get_lines(): $str is "250-DSN
                          "
2018-03-12 20:21:56      SMTP -> get_lines(): $data is "250-MRXP264CA0037.outlook.office365.com Hello
[85.152.55.132]
                          250-SIZE 157286400
                          250-PIPELINING
                          250-DSN
                          "
2018-03-12 20:21:56      SMTP -> get_lines(): $str is "250-ENHANCEDSTATUSCODES
                          "
2018-03-12 20:21:56      SMTP -> get_lines(): $data is "250-MRXP264CA0037.outlook.office365.com Hello
[85.152.55.132]
                          250-SIZE 157286400
                          250-PIPELINING
                          250-DSN
                          250-ENHANCEDSTATUSCODES
                          "
2018-03-12 20:21:56      SMTP -> get_lines(): $str is "250-STARTTLS
                          "
2018-03-12 20:21:56      SMTP -> get_lines(): $data is "250-MRXP264CA0037.outlook.office365.com Hello
[85.152.55.132]
                          250-SIZE 157286400
                          250-PIPELINING
```

```
                250-DSN
                250-ENHANCEDSTATUSCODES
                250-STARTTLS
                "
2018-03-12 20:21:56 SMTP -> get_lines(): $str is "250-8BITMIME
                "
2018-03-12 20:21:56 SMTP -> get_lines(): $data is "250-MRXP264CA0037.outlook.office365.com Hello
[85.152.55.132]
                250-SIZE 157286400
                250-PIPELINING
                250-DSN
                250-ENHANCEDSTATUSCODES
                250-STARTTLS
                250-8BITMIME
                "
2018-03-12 20:21:56 SMTP -> get_lines(): $str is "250-BINARYMIME
                "
2018-03-12 20:21:56 SMTP -> get_lines(): $data is "250-MRXP264CA0037.outlook.office365.com Hello
[85.152.55.132]
                250-SIZE 157286400
                250-PIPELINING
                250-DSN
                250-ENHANCEDSTATUSCODES
                250-STARTTLS
                250-8BITMIME
                250-BINARYMIME
                "
2018-03-12 20:21:56 SMTP -> get_lines(): $str is "250-CHUNKING
                "
2018-03-12 20:21:56 SMTP -> get_lines(): $data is "250-MRXP264CA0037.outlook.office365.com Hello
[85.152.55.132]
                250-SIZE 157286400
                250-PIPELINING
                250-DSN
                250-ENHANCEDSTATUSCODES
                250-STARTTLS
                250-8BITMIME
                250-BINARYMIME
                250-CHUNKING
                "
2018-03-12 20:21:56 SMTP -> get_lines(): $str is "250 SMTPUTF8
                "
2018-03-12 20:21:56 SERVER -> CLIENT: 250-MRXP264CA0037.outlook.office365.com Hello [85.152.55.13
2]
                250-SIZE 157286400
                250-PIPELINING
                250-DSN
                250-ENHANCEDSTATUSCODES
                250-STARTTLS
                250-8BITMIME
                250-BINARYMIME
                250-CHUNKING
                250 SMTPUTF8
2018-03-12 20:21:56 CLIENT -> SERVER: STARTTLS
```

```
2018-03-12 20:21:56 SMTP -> get_lines(): $data is ""
2018-03-12 20:21:56 SMTP -> get_lines(): $str is "220 2.0.0 SMTP server ready
"

2018-03-12 20:21:56 SERVER -> CLIENT: 220 2.0.0 SMTP server ready
2018-03-12 20:21:57 CLIENT -> SERVER: EHLO campus.carac.es
2018-03-12 20:21:57 SMTP -> get_lines(): $data is ""
2018-03-12 20:21:57 SMTP -> get_lines(): $str is "250-MRXP264CA0037.outlook.office365.com Hello
[85.152.55.132]
"

2018-03-12 20:21:57 SMTP -> get_lines(): $data is "250-MRXP264CA0037.outlook.office365.com Hello
[85.152.55.132]
"

2018-03-12 20:21:57 SMTP -> get_lines(): $str is "250-SIZE 157286400
"

2018-03-12 20:21:57 SMTP -> get_lines(): $data is "250-MRXP264CA0037.outlook.office365.com Hello
[85.152.55.132]
250-SIZE 157286400
"

2018-03-12 20:21:57 SMTP -> get_lines(): $str is "250-PIPELINING
"

2018-03-12 20:21:57 SMTP -> get_lines(): $data is "250-MRXP264CA0037.outlook.office365.com Hello
[85.152.55.132]
250-SIZE 157286400
250-PIPELINING
"

2018-03-12 20:21:57 SMTP -> get_lines(): $str is "250-DSN
"

2018-03-12 20:21:57 SMTP -> get_lines(): $data is "250-MRXP264CA0037.outlook.office365.com Hello
[85.152.55.132]
250-SIZE 157286400
250-PIPELINING
250-DSN
"

2018-03-12 20:21:57 SMTP -> get_lines(): $str is "250-ENHANCEDSTATUSCODES
"

2018-03-12 20:21:57 SMTP -> get_lines(): $data is "250-MRXP264CA0037.outlook.office365.com Hello
[85.152.55.132]
250-SIZE 157286400
250-PIPELINING
250-DSN
250-ENHANCEDSTATUSCODES
"

2018-03-12 20:21:57 SMTP -> get_lines(): $str is "250-AUTH LOGIN XOAUTH2
"

2018-03-12 20:21:57 SMTP -> get_lines(): $data is "250-MRXP264CA0037.outlook.office365.com Hello
[85.152.55.132]
250-SIZE 157286400
250-PIPELINING
250-DSN
250-ENHANCEDSTATUSCODES
250-AUTH LOGIN XOAUTH2
"

2018-03-12 20:21:57 SMTP -> get_lines(): $str is "250-8BITMIME
"
```


```
2018-03-12 20:21:57 SMTP -> get_lines(): $data is "250-MRXP264CA0037.outlook.office365.com Hello
[85.152.55.132]
                250-SIZE 157286400
                250-PIPELINING
                250-DSN
                250-ENHANCEDSTATUSCODES
                250-AUTH LOGIN XOAUTH2
                250-8BITMIME
                "
2018-03-12 20:21:57 SMTP -> get_lines(): $str is "250-BINARYMIME
"
2018-03-12 20:21:57 SMTP -> get_lines(): $data is "250-MRXP264CA0037.outlook.office365.com Hello
[85.152.55.132]
                250-SIZE 157286400
                250-PIPELINING
                250-DSN
                250-ENHANCEDSTATUSCODES
                250-AUTH LOGIN XOAUTH2
                250-8BITMIME
                250-BINARYMIME
                "
2018-03-12 20:21:57 SMTP -> get_lines(): $str is "250-CHUNKING
"
2018-03-12 20:21:57 SMTP -> get_lines(): $data is "250-MRXP264CA0037.outlook.office365.com Hello
[85.152.55.132]
                250-SIZE 157286400
                250-PIPELINING
                250-DSN
                250-ENHANCEDSTATUSCODES
                250-AUTH LOGIN XOAUTH2
                250-8BITMIME
                250-BINARYMIME
                250-CHUNKING
                "
2018-03-12 20:21:57 SMTP -> get_lines(): $str is "250 SMTPUTF8
"
2018-03-12 20:21:57 SERVER -> CLIENT: 250-MRXP264CA0037.outlook.office365.com Hello [85.152.55.13
2]
                250-SIZE 157286400
                250-PIPELINING
                250-DSN
                250-ENHANCEDSTATUSCODES
                250-AUTH LOGIN XOAUTH2
                250-8BITMIME
                250-BINARYMIME
                250-CHUNKING
                250 SMTPUTF8
2018-03-12 20:21:57 Auth method requested: LOGIN
2018-03-12 20:21:57 Auth methods available on the server: LOGIN,XOAUTH2
2018-03-12 20:21:57 CLIENT -> SERVER: AUTH LOGIN
2018-03-12 20:21:57 SMTP -> get_lines(): $data is ""
2018-03-12 20:21:57 SMTP -> get_lines(): $str is "334 VXN1cm5hbWU6
"
2018-03-12 20:21:57 SERVER -> CLIENT: 334 VXN1cm5hbWU6
```

2018-03-12 20:21:57 CLIENT -> SERVER: bWF5Y2FAZ3J1cG9jYXJhYy5lcw==
2018-03-12 20:21:57 SMTP -> get_lines(): \$data is ""
2018-03-12 20:21:57 SMTP -> get_lines(): \$str is "334 UGFzc3dvcmQ6
"
2018-03-12 20:21:57 SERVER -> CLIENT: 334 UGFzc3dvcmQ6
2018-03-12 20:21:57 CLIENT -> SERVER: QXN0dXJpYXMy
2018-03-12 20:22:00 SMTP -> get_lines(): \$data is ""
2018-03-12 20:22:00 SMTP -> get_lines(): \$str is "235 2.7.0 Authentication successful target host
AM3PR01MB1089.eurprd01.prod.exchangelabs.com
"
2018-03-12 20:22:00 SERVER -> CLIENT: 235 2.7.0 Authentication successful target host AM3PR01MB108
9.eurprd01.prod.exchangelabs.com
2018-03-12 20:22:00 CLIENT -> SERVER: MAIL FROM:
2018-03-12 20:22:00 SMTP -> get_lines(): \$data is ""
2018-03-12 20:22:00 SMTP -> get_lines(): \$str is "250 2.1.0 Sender OK
"
2018-03-12 20:22:00 SERVER -> CLIENT: 250 2.1.0 Sender OK
2018-03-12 20:22:00 CLIENT -> SERVER: RCPT TO:
2018-03-12 20:22:00 SMTP -> get_lines(): \$data is ""

Español - Internacional (es)



[Search Courses](#)

Acceder 

[Contraseña olvidada](#)

Error al enviar el correo electrónico de confirmación de cambio de contraseña

[Más información sobre este error](#)

[Continuar](#)


```
2018-03-12 20:22:05 CLIENT -> SERVER: QUIT
2018-03-12 20:22:05 SMTP -> get_lines(): $data is ""
2018-03-12 20:22:05 SMTP -> get_lines(): $str is "221 2.0.0 Service closing transmission channel
                "
2018-03-12 20:22:05 SERVER -> CLIENT: 221 2.0.0 Service closing transmission channel
2018-03-12 20:22:05 Connection: closed
```