

Invalid get_string() identifier: 'smtphosts' or component 'message_email'. Perhaps you are missing \$string['smtphosts'] = ""; in /home/phil/public_html/moodle31/message/output/email/lang/en/message_email.php?

- line 349 of /lib/classes/string_manager_standard.php: call to debugging()
- line 7076 of /lib/moodlelib.php: call to core_string_manager_standard->get_string()
- line 28 of /message/output/email/settings.php: call to get_string()
- line 68 of /lib/classes/plugininfo/message.php: call to include()
- line 80 of /admin/settings/plugins.php: call to core\plugininfo\message->load_settings()
- line 7703 of /lib/adminlib.php: call to require()
- line 19 of /admin/settings.php: call to admin_get_root()

Invalid get_string() identifier: 'configsmtphosts' or component 'message_email'. Perhaps you are missing \$string['configsmtphosts'] = ""; in /home/phil/public_html/moodle31/message/output/email/lang/en/message_email.php?

- line 349 of /lib/classes/string_manager_standard.php: call to debugging()
- line 7076 of /lib/moodlelib.php: call to core_string_manager_standard->get_string()
- line 28 of /message/output/email/settings.php: call to get_string()
- line 68 of /lib/classes/plugininfo/message.php: call to include()
- line 80 of /admin/settings/plugins.php: call to core\plugininfo\message->load_settings()
- line 7703 of /lib/adminlib.php: call to require()
- line 19 of /admin/settings.php: call to admin_get_root()

Invalid get_string() identifier: 'none' or component 'message_email'. Perhaps you are missing \$string['none'] = ""; in /home/phil/public_html/moodle31/message/output/email/lang/en/message_email.php?

- line 349 of /lib/classes/string_manager_standard.php: call to debugging()
- line 7076 of /lib/moodlelib.php: call to core_string_manager_standard->get_string()
- line 29 of /message/output/email/settings.php: call to get_string()
- line 68 of /lib/classes/plugininfo/message.php: call to include()
- line 80 of /admin/settings/plugins.php: call to core\plugininfo\message->load_settings()
- line 7703 of /lib/adminlib.php: call to require()
- line 19 of /admin/settings.php: call to admin_get_root()

Invalid get_string() identifier: 'smtpsecure' or component 'message_email'. Perhaps you are missing \$string['smtpsecure'] = ""; in /home/phil/public_html/moodle31/message/output/email/lang/en/message_email.php?

- line 349 of /lib/classes/string_manager_standard.php: call to debugging()
- line 7076 of /lib/moodlelib.php: call to core_string_manager_standard->get_string()
- line 30 of /message/output/email/settings.php: call to get_string()
- line 68 of /lib/classes/plugininfo/message.php: call to include()
- line 80 of /admin/settings/plugins.php: call to core\plugininfo\message->load_settings()
- line 7703 of /lib/adminlib.php: call to require()
- line 19 of /admin/settings.php: call to admin_get_root()

Invalid get_string() identifier: 'configsmtpsecure' or component 'message_email'. Perhaps you are missing \$string['configsmtpsecure'] = ""; in /home/phil/public_html/moodle31/message/output/email/lang/en/message_email.php?

- line 349 of /lib/classes/string_manager_standard.php: call to debugging()
- line 7076 of /lib/moodlelib.php: call to core_string_manager_standard->get_string()
- line 30 of /message/output/email/settings.php: call to get_string()
- line 68 of /lib/classes/plugininfo/message.php: call to include()

- line 80 of /admin/settings/plugins.php: call to core\plugininfo\message->load_settings()
- line 7703 of /lib/adminlib.php: call to require()
- line 19 of /admin/settings.php: call to admin_get_root()

Invalid get_string() identifier: 'smtpauthtype' or component 'message_email'. Perhaps you are missing \$string['smtpauthtype'] = "; in /home/phil/public_html/moodle31/message/output/email/lang/en/message_email.php?

- line 349 of /lib/classes/string_manager_standard.php: call to debugging()
- line 7076 of /lib/moodlelib.php: call to core_string_manager_standard->get_string()
- line 32 of /message/output/email/settings.php: call to get_string()
- line 68 of /lib/classes/plugininfo/message.php: call to include()
- line 80 of /admin/settings/plugins.php: call to core\plugininfo\message->load_settings()
- line 7703 of /lib/adminlib.php: call to require()
- line 19 of /admin/settings.php: call to admin_get_root()

Invalid get_string() identifier: 'configsmtpauthtype' or component 'message_email'. Perhaps you are missing \$string['configsmtpauthtype'] = "; in /home/phil/public_html/moodle31/message/output/email/lang/en/message_email.php?

- line 349 of /lib/classes/string_manager_standard.php: call to debugging()
- line 7076 of /lib/moodlelib.php: call to core_string_manager_standard->get_string()
- line 32 of /message/output/email/settings.php: call to get_string()
- line 68 of /lib/classes/plugininfo/message.php: call to include()
- line 80 of /admin/settings/plugins.php: call to core\plugininfo\message->load_settings()
- line 7703 of /lib/adminlib.php: call to require()
- line 19 of /admin/settings.php: call to admin_get_root()

Invalid get_string() identifier: 'smtpuser' or component 'message_email'. Perhaps you are missing \$string['smtpuser'] = "; in /home/phil/public_html/moodle31/message/output/email/lang/en/message_email.php?

- line 349 of /lib/classes/string_manager_standard.php: call to debugging()
- line 7076 of /lib/moodlelib.php: call to core_string_manager_standard->get_string()
- line 33 of /message/output/email/settings.php: call to get_string()
- line 68 of /lib/classes/plugininfo/message.php: call to include()
- line 80 of /admin/settings/plugins.php: call to core\plugininfo\message->load_settings()
- line 7703 of /lib/adminlib.php: call to require()
- line 19 of /admin/settings.php: call to admin_get_root()

Invalid get_string() identifier: 'configsmtpuser' or component 'message_email'. Perhaps you are missing \$string['configsmtpuser'] = "; in /home/phil/public_html/moodle31/message/output/email/lang/en/message_email.php?

- line 349 of /lib/classes/string_manager_standard.php: call to debugging()
- line 7076 of /lib/moodlelib.php: call to core_string_manager_standard->get_string()
- line 33 of /message/output/email/settings.php: call to get_string()
- line 68 of /lib/classes/plugininfo/message.php: call to include()
- line 80 of /admin/settings/plugins.php: call to core\plugininfo\message->load_settings()
- line 7703 of /lib/adminlib.php: call to require()
- line 19 of /admin/settings.php: call to admin_get_root()

Invalid get_string() identifier: 'smtppass' or component 'message_email'. Perhaps you are missing \$string['smtppass'] = "; in /home/phil/public_html/moodle31/message/output/email/lang/en/message_email.php?

- line 349 of /lib/classes/string_manager_standard.php: call to debugging()
- line 7076 of /lib/moodlelib.php: call to core_string_manager_standard->get_string()
- line 34 of /message/output/email/settings.php: call to get_string()
- line 68 of /lib/classes/plugininfo/message.php: call to include()
- line 80 of /admin/settings/plugins.php: call to core\plugininfo\message->load_settings()
- line 7703 of /lib/adminlib.php: call to require()
- line 19 of /admin/settings.php: call to admin_get_root()

Invalid get_string() identifier: 'configsmtpuser' or component 'message_email'. Perhaps you are missing \$string['configsmtpuser'] = "; in /home/phil/public_html/moodle31/message/output/email/lang/en/message_email.php?

- line 349 of /lib/classes/string_manager_standard.php: call to debugging()
- line 7076 of /lib/moodlelib.php: call to core_string_manager_standard->get_string()
- line 34 of /message/output/email/settings.php: call to get_string()
- line 68 of /lib/classes/plugininfo/message.php: call to include()
- line 80 of /admin/settings/plugins.php: call to core\plugininfo\message->load_settings()
- line 7703 of /lib/adminlib.php: call to require()
- line 19 of /admin/settings.php: call to admin_get_root()

Invalid get_string() identifier: 'smtpmaxbulk' or component 'message_email'. Perhaps you are missing \$string['smtpmaxbulk'] = "; in /home/phil/public_html/moodle31/message/output/email/lang/en/message_email.php?

- line 349 of /lib/classes/string_manager_standard.php: call to debugging()
- line 7076 of /lib/moodlelib.php: call to core_string_manager_standard->get_string()
- line 35 of /message/output/email/settings.php: call to get_string()
- line 68 of /lib/classes/plugininfo/message.php: call to include()
- line 80 of /admin/settings/plugins.php: call to core\plugininfo\message->load_settings()
- line 7703 of /lib/adminlib.php: call to require()
- line 19 of /admin/settings.php: call to admin_get_root()

Invalid get_string() identifier: 'configsmtpmaxbulk' or component 'message_email'. Perhaps you are missing \$string['configsmtpmaxbulk'] = "; in /home/phil/public_html/moodle31/message/output/email/lang/en/message_email.php?

- line 349 of /lib/classes/string_manager_standard.php: call to debugging()
- line 7076 of /lib/moodlelib.php: call to core_string_manager_standard->get_string()
- line 35 of /message/output/email/settings.php: call to get_string()
- line 68 of /lib/classes/plugininfo/message.php: call to include()
- line 80 of /admin/settings/plugins.php: call to core\plugininfo\message->load_settings()
- line 7703 of /lib/adminlib.php: call to require()
- line 19 of /admin/settings.php: call to admin_get_root()

Invalid get_string() identifier: 'noreplyaddress' or component 'message_email'. Perhaps you are missing \$string['noreplyaddress'] = "; in /home/phil/public_html/moodle31/message/output/email/lang/en/message_email.php?

- line 349 of /lib/classes/string_manager_standard.php: call to debugging()
- line 7076 of /lib/moodlelib.php: call to core_string_manager_standard->get_string()
- line 36 of /message/output/email/settings.php: call to get_string()
- line 68 of /lib/classes/plugininfo/message.php: call to include()
- line 80 of /admin/settings/plugins.php: call to core\plugininfo\message->load_settings()
- line 7703 of /lib/adminlib.php: call to require()

- line 19 of /admin/settings.php: call to admin_get_root()

Invalid get_string() identifier: 'confignoreplyaddress' or component 'message_email'. Perhaps you are missing \$string['confignoreplyaddress'] = ""; in /home/phil/public_html/moodle31/message/output/email/lang/en/message_email.php?

- line 349 of /lib/classes/string_manager_standard.php: call to debugging()
- line 7076 of /lib/moodlelib.php: call to core_string_manager_standard->get_string()
- line 36 of /message/output/email/settings.php: call to get_string()
- line 68 of /lib/classes/plugininfo/message.php: call to include()
- line 80 of /admin/settings/plugins.php: call to core\plugininfo\message->load_settings()
- line 7703 of /lib/adminlib.php: call to require()
- line 19 of /admin/settings.php: call to admin_get_root()

Invalid get_string() identifier: 'configemailonlyfromnoreplyaddress' or component 'message_email'. Perhaps you are missing \$string['configemailonlyfromnoreplyaddress'] = ""; in /home/phil/public_html/moodle31/message/output/email/lang/en/message_email.php?

- line 349 of /lib/classes/string_manager_standard.php: call to debugging()
- line 7076 of /lib/moodlelib.php: call to core_string_manager_standard->get_string()
- line 39 of /message/output/email/settings.php: call to get_string()
- line 68 of /lib/classes/plugininfo/message.php: call to include()
- line 80 of /admin/settings/plugins.php: call to core\plugininfo\message->load_settings()
- line 7703 of /lib/adminlib.php: call to require()
- line 19 of /admin/settings.php: call to admin_get_root()

Invalid get_string() identifier: 'sitemailcharset' or component 'message_email'. Perhaps you are missing \$string['sitemailcharset'] = ""; in /home/phil/public_html/moodle31/message/output/email/lang/en/message_email.php?

- line 349 of /lib/classes/string_manager_standard.php: call to debugging()
- line 7076 of /lib/moodlelib.php: call to core_string_manager_standard->get_string()
- line 46 of /message/output/email/settings.php: call to get_string()
- line 68 of /lib/classes/plugininfo/message.php: call to include()
- line 80 of /admin/settings/plugins.php: call to core\plugininfo\message->load_settings()
- line 7703 of /lib/adminlib.php: call to require()
- line 19 of /admin/settings.php: call to admin_get_root()

Invalid get_string() identifier: 'configsiteemailcharset' or component 'message_email'. Perhaps you are missing \$string['configsiteemailcharset'] = ""; in /home/phil/public_html/moodle31/message/output/email/lang/en/message_email.php?

- line 349 of /lib/classes/string_manager_standard.php: call to debugging()
- line 7076 of /lib/moodlelib.php: call to core_string_manager_standard->get_string()
- line 46 of /message/output/email/settings.php: call to get_string()
- line 68 of /lib/classes/plugininfo/message.php: call to include()
- line 80 of /admin/settings/plugins.php: call to core\plugininfo\message->load_settings()
- line 7703 of /lib/adminlib.php: call to require()
- line 19 of /admin/settings.php: call to admin_get_root()

Invalid get_string() identifier: 'allowusermailcharset' or component 'message_email'. Perhaps you are missing \$string['allowusermailcharset'] = ""; in /home/phil/public_html/moodle31/message/output/email/lang/en/message_email.php?

- line 349 of /lib/classes/string_manager_standard.php: call to debugging()

- line 7076 of /lib/moodlelib.php: call to core_string_manager_standard->get_string()
- line 47 of /message/output/email/settings.php: call to get_string()
- line 68 of /lib/classes/plugininfo/message.php: call to include()
- line 80 of /admin/settings/plugins.php: call to core\plugininfo\message->load_settings()
- line 7703 of /lib/adminlib.php: call to require()
- line 19 of /admin/settings.php: call to admin_get_root()

Invalid get_string() identifier: 'configallowusermailcharset' or component 'message_email'. Perhaps you are missing \$string['configallowusermailcharset'] = ""; in /home/phil/public_html/moodle31/message/output/email/lang/en/message_email.php?

- line 349 of /lib/classes/string_manager_standard.php: call to debugging()
- line 7076 of /lib/moodlelib.php: call to core_string_manager_standard->get_string()
- line 47 of /message/output/email/settings.php: call to get_string()
- line 68 of /lib/classes/plugininfo/message.php: call to include()
- line 80 of /admin/settings/plugins.php: call to core\plugininfo\message->load_settings()
- line 7703 of /lib/adminlib.php: call to require()
- line 19 of /admin/settings.php: call to admin_get_root()

Invalid get_string() identifier: 'allowattachments' or component 'message_email'. Perhaps you are missing \$string['allowattachments'] = ""; in /home/phil/public_html/moodle31/message/output/email/lang/en/message_email.php?

- line 349 of /lib/classes/string_manager_standard.php: call to debugging()
- line 7076 of /lib/moodlelib.php: call to core_string_manager_standard->get_string()
- line 48 of /message/output/email/settings.php: call to get_string()
- line 68 of /lib/classes/plugininfo/message.php: call to include()
- line 80 of /admin/settings/plugins.php: call to core\plugininfo\message->load_settings()
- line 7703 of /lib/adminlib.php: call to require()
- line 19 of /admin/settings.php: call to admin_get_root()

Invalid get_string() identifier: 'configallowattachments' or component 'message_email'. Perhaps you are missing \$string['configallowattachments'] = ""; in /home/phil/public_html/moodle31/message/output/email/lang/en/message_email.php?

- line 349 of /lib/classes/string_manager_standard.php: call to debugging()
- line 7076 of /lib/moodlelib.php: call to core_string_manager_standard->get_string()
- line 48 of /message/output/email/settings.php: call to get_string()
- line 68 of /lib/classes/plugininfo/message.php: call to include()
- line 80 of /admin/settings/plugins.php: call to core\plugininfo\message->load_settings()
- line 7703 of /lib/adminlib.php: call to require()
- line 19 of /admin/settings.php: call to admin_get_root()

Invalid get_string() identifier: 'mailnewline' or component 'message_email'. Perhaps you are missing \$string['mailnewline'] = ""; in /home/phil/public_html/moodle31/message/output/email/lang/en/message_email.php?

- line 349 of /lib/classes/string_manager_standard.php: call to debugging()
- line 7076 of /lib/moodlelib.php: call to core_string_manager_standard->get_string()
- line 50 of /message/output/email/settings.php: call to get_string()
- line 68 of /lib/classes/plugininfo/message.php: call to include()
- line 80 of /admin/settings/plugins.php: call to core\plugininfo\message->load_settings()
- line 7703 of /lib/adminlib.php: call to require()

- line 19 of /admin/settings.php: call to admin_get_root()

Invalid get_string() identifier: 'configmailnewline' or component 'message_email'. Perhaps you are missing \$string['configmailnewline'] = "; in /home/phil/public_html/moodle31/message/output/email/lang/en/message_email.php?

- line 349 of /lib/classes/string_manager_standard.php: call to debugging()
- line 7076 of /lib/moodlelib.php: call to core_string_manager_standard->get_string()
- line 50 of /message/output/email/settings.php: call to get_string()
- line 68 of /lib/classes/plugininfo/message.php: call to include()
- line 80 of /admin/settings/plugins.php: call to core\plugininfo\message->load_settings()
- line 7703 of /lib/adminlib.php: call to require()
- line 19 of /admin/settings.php: call to admin_get_root()

[Passer au contenu principal](#)



TechphilMelec

- Phil Admin 

- [Français \(fr\)](#)

-

Techphil MELEC